

AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing
A.B.N. 43 006 014 106
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031
P.O. Box 240, North Melbourne, Victoria 3051
Phone (03) 9371 2400 Fax (03) 9371 2499

TEST REPORT

CLIENT : UNIQUE FABRICS
6 MT EDEN ROAD
EDEN TERRACE
AUCKLAND
NEW ZEALAND

TEST NUMBER : 7-588212-BO
ISSUE DATE : 30/11/2012
PRINT DATE : 30/11/2012
ORDER NUMBER : 332229
ORDER NUMBER : 332229

SAMPLE DESCRIPTION Clients Ref: "80898 Linear"
Fabric: Sheer/stitching/wide width
Nom Comp: 57% Polyester FR, 43% Polyester
Colour: 110 Natural
End Use: Drapery

AS 1530.2-1993 Test for Flammability of Materials

DATE TESTED: Flammability Index: 2 Range 0 - 100 for most material

		Length	Width	
Spread Factor: Range 0 - 40		0	1	
Heat Factor: Range 0 - upward		1	1	
Maximum height (d) mean		2.7	3.7	
	cv	19.4	13.6	%
Time (t) mean		n/a	n/a	s
	cv	n/a	n/a	%
Heat (a) mean		1.5	1.7	degC min
	cv	0.0	46.9	%
No of specimens tested		6	9	

These test results relate only to the behaviour of the test specimens of the material under the particular conditions of the test, and they are not intended to be the sole criterion for assessing the potential fire hazard of the material in use

197549

1

(END OF REPORT)

PAGE 1

© Australian Wool Testing Authority Ltd
Copyright - All Rights Reserved



This Laboratory is accredited by the National Association of Testing Authorities, Australia, for:
-Chemical Testing of Textiles & Related Products : Accreditation No. 983
-Mechanical Testing of Textiles & Related Products : Accreditation No. 985
-Heat & Temperature Measurement : Accreditation No. 1356

This document is issued in accordance with NATA's accreditation requirements. Samples, and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved in advance by the Managing Director of AWTA Ltd.



[Signature]

[Signature]
MICHAEL A. JACKSON B.Sc.(Hons)
MANAGING DIRECTOR