

# AWTA PRODUCT TESTING


Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400

## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

**Sample Description** Clients Ref : "Lanai Collection - Kailua/Maui/Puna/Kona"  
Vinyl Wall Covering  
Colour : Various  
End Use : Wall Covering  
Nominal Composition : Vinyl on paper backing  
Nominal Mass per Unit Area/Density : 320-500g/m2  
Nominal Thickness : Approx: 1mm



213665

73168

Page 1 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400

## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

**AS/NZS 3837-1998** Method of Test for Heat and Smoke Release Rates for Materials and Products using an Oxygen Consumption Calorimeter

Date Tested 03-10-2024  
Operator AWTA Test Operator 21  
Face Tested Face

	Specimen			Mean	
	1	2	3		
Average Heat Release Rate	48.6	46.0	42.0	45.6	kW/m <sup>2</sup>
Average Specific extinction area	84.3	73.2	80.1	79.2	m <sup>2</sup> /kg

(according to Specification C1.10 of the Building Code of Australia)

Test orientation : Horizontal

	Specimen			Mean	
	1	2	3		
Irradiance	50	50	50	50	kW/m <sup>2</sup>
Exhaust flow rate	0.024	0.024	0.024	0.024	m <sup>3</sup> /s
Time to sustained flaming	8	10	10	9	sec
Test duration	226	240	253	240	sec
Peak heat release after ignition	103.5	119.2	94.9	105.9	kW/m <sup>2</sup>
Average heat at 60 s	89.1	86.2	79.8	85.0	kW/m <sup>2</sup>
Average heat at 180 s	55.5	54.3	51.4	53.7	kW/m <sup>2</sup>
Average heat at 300 s	n/a	n/a	n/a	n/a	kW/m <sup>2</sup>
Total heat released	10.7	10.6	10.2	10.5	MJ/m <sup>2</sup>
Average effective heat of combustion	8.3	7.9	7.3	7.8	MJ/kg
Initial thickness	11	11	11	11.0	mm
Initial mass	62.5	63.6	63.7	63.3	g
Mass remaining	52.1	52.7	52.4	52.4	g
Mass percentage pyrolysed	16.6	17.1	17.7	17.2	%

213665

73168

Page 2 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400

## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

Mass loss	1.3	1.3	1.4	1.3	kg/m <sup>2</sup>
Average rate of mass loss	5.9	5.8	5.7	5.8	g/m <sup>2</sup> .s
Additional Observations	Nil				
Difficulties Encountered during Testing	Nil				

Samples were adhered to a substrate of 10mm thick plasterboard using Roberts 656 wallcovering adhesive prior to testing.

Retainer grid was used to contain the test specimen within the sample holder

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

213665

73168

Page 3 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400


## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand


**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

**Specimen :** 1


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



213665

73168

Page 4 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved




Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

  
Chris Campbell  
APPROVED SIGNATORY

  
MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400

## TEST REPORT


**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s)/m<sup>2</sup>)



213665

73168

Page 5 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



Chris Campbell  
APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400


## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand


**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

**Specimen :** 2


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



213665

73168

Page 6 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING


Australian Wool Testing Authority Ltd - trading as AWTA Product Testing  
A.B.N 43 006 014 106  
1st Floor, 191 Racecourse Road, Flemington, Victoria 3031  
P.O Box 240, North Melbourne, Victoria 3051  
Phone (03) 9371 2400

## TEST REPORT


**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s)/m<sup>2</sup>)



213665

73168

Page 7 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400


## TEST REPORT

**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand


**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024

**Specimen :** 3


**Heat release rate (kW/m<sup>2</sup>)**




**Effective heat of combustion (MJ/kg)**



**Smoke production rate ([m<sup>2</sup>/s])**



**Specific extinction area (m<sup>2</sup>/kg)**



213665

73168

Page 8 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR



# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400

## TEST REPORT


**Client :** Unique Fabrics  
6 Mt Eden Road  
Eden Terrace, Auckland New Zealand  
New Zealand

**Test Number :** 24-003810  
**Issue Date :** 03/10/2024  
**Print Date :** 3/10/2024


Mass loss rate (g/s)




Total heat released (MJ/m<sup>2</sup>)



Mass (g)



Rate of smoke release ([m<sup>2</sup>/s]/m<sup>2</sup>)



213665

73168

Page 9 of 9

© Australian Wool Testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing  
Accreditation Numbers: 983, 985, and 1356



Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Chris Campbell  
APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR